




BUTTERWORTH

Performance Curves



Tank Cleaning Machine Type: LT & LT-FT



BUTTERWORTH

Model Numbers

<i>Model</i>	<i>Number of Nozzles</i>	<i>Nozzle Orifice</i>	<i>Lubrication</i>
LT6ZM3NO	2	6mm	Oil/Grease
LT6ZM3NOFT	2	6mm	Media
LT8Z31NO	2	8mm	Oil/Grease
LT8Z31NOFT	2	8mm	Media
LT10Z21NO	2	10mm	Oil/Grease
LT10Z21NOFT	2	10mm	Media
LT12Z21NO	2	12mm	Oil/Grease
LT12Z2NOFT	2	12mm	Media




BUTTERWORTH

Machine Type: LT

Pressure/Flow -- 360° Machine


Curve accuracy is +/- 10%. For table, contact Butterworth.





Type: LT

Cleaning Pattern Time - Standard Speed Guide Vane - 360° Machine
65 Revolutions






BUTTERWORTH

Type: LT

Maximum Horizontal Jet Throw Length - 360° Machine
Static Conditions

Curve accuracy is +/- 10%. For table, contact Butterworth.






BUTTERWORTH

Type: LT

Pattern Track Width Data - 2 Nozzle Machine

Curve accuracy is +/- 10%. For table, contact Butterworth.






Type: LT

Nozzle Impact Data -- Horizontal Static Conditions @ 100 PSIG of Machine Inlet Pressure

Curve accuracy is +/- 10%. For table, contact Butterworth.






BUTTERWORTH

Type: LT
Axial RPM

Curve accuracy is +/- 10%. For table, contact Butterworth.





BUTTERWORTH

Type: LT Jet Cross Section

Curve accuracy is +/- 10%. For table, contact Butterworth.

